



Model
RS-1168

Model
RS-M8




Face recognition | Password unlock | Induction unlock | IC card unlock | Key unlock | APP unlock (optional)



Fingerprint unlock | Password unlock | Induction unlock | IC card unlock | Key unlock | APP unlock (optional)

Model:	RS-1168
Material:	Zinc alloy
Application:	wood door/steel door/PVC door/ Security door
Door Thickness:	45-85mm
Lock:	6052 Security door
Packaging:	carton
Power supply:	DC 6.3V, 20000 times open and lock
Function:	face/ card/password/ sensor/ mechanical key/Palmprint
Fingerprint sensor:	semiconductor
Password:	6-8 digits , 16 code function
Lock size:	360*80mm



Colors:


- Champaign Gold
- Red Copper
- Silvery Grey
- Rose Gold

Features:	fingerprint/ password / mechanical key/sensor
Model:	RS-M8
Fingerprint capacity:	99 pieces
Password capacity:	20 groups
Material:	Zinc alloy
Fingerprint verification time:	<1s
Operating Voltage:	6V
power supply system:	1.5V
Undervoltage alarm:	≤4.8V
Quiescent Current:	≤90uA
Operating temperature:	-20 ° C ~ 60 ° C
Product Size:	360*75*25mm



Colors:

- Champaign Gold
- Red Copper
- Obsidian Black



Fingerprint unlock | Password unlock | IC card unlock | Key unlock



Fingerprint unlock | Password unlock | Shake the door | Key unlock

Features:	fingerprint/ password / IC card / mechanical key
Model:	RS-1260
Fingerprint capacity:	100 pieces
Password capacity:	300 groups
Operating Voltage:	<250uA
power supply system:	8.4V
False rate:	≤0.00004%
Quiescent Current:	<50uA
Operating temperature:	-10°C~60°C
Resolution:	500DPI
Relative humidity:	20%~93%
Product Size:	370*65*70mm




Colors:
Red Copper

Features:	fingerprint/ password / mechanical key/remote control
Model:	RS-F1
Material:	Zinc alloy
Fingerprint capacity:	200 pieces
Password capacity:	200 groups
Operating Voltage:	<250uA
power supply system:	4.5V~6.5V
False rate:	≤0.00004%
Quiescent Current:	<50uA
Operating temperature:	-10°C~60°C
Resolution:	500DPI
Relative humidity:	20%~93%
Product Size:	236*58*21mm



Colors:
Obsidian Black | Red Copper



Model
RS-K3



Model
RS-K4



Fingerprint unlock



Password unlock



IC card unlock



Key unlock



Fingerprint unlock



Password unlock



IC card unlock



Key unlock

Features:	fingerprint/ password / IC card/mechanical key
Model:	RS-K3
Fingerprint verification time:	<1s
Operating Voltage:	6V
power supply system:	1.5V
Undervoltage alarm:	≤4.8V
Quiescent Current:	≤90uA
Operating temperature:	-20 °C ~ 60 °C
Storage temperature:	-30°C~75°C
Working humidity:	15%RH93%RH
Product Size:	375*78*50mm
Material:	Zinc alloy



Colors:



Features:	fingerprint/ password / IC card/mechanical key
Model:	RS-K4
Material:	Zinc alloy
Fingerprint verification time:	<1s
Operating Voltage:	6V
power supply system:	1.5V
Undervoltage alarm:	≤4.8V
Quiescent Current:	≤90uA
Operating temperature:	-20 °C ~ 60 °C
Storage temperature:	-30°C~75°C
Working humidity:	15%RH93%RH
Product Size:	375*78*50mm



Colors:





Fingerprint unlock | Password unlock | Induction unlock | IC card unlock | Key unlock | APP unlock (optional)



Fingerprint unlock | Password unlock | Key unlock | APP unlock (optional)

Model:	RS-1166
Material:	Zinc alloy
Application:	wooden door/iron door/security door/composite door
Door thickness:	45-85mm(customize)
Lock:	6052 Security door
Power supply:	DC 6.3V, 20000 times open and lock
Function:	fingerprint / password / sensor card /mechanical key
Size:	360*80*38mm



Colors:

- Champaign Gold
- Red Copper
- Silvery Grey
- Rose Gold

Model:	RS-1010
Material:	Zinc alloy
Application:	wood door/steel door/bronze door
Door Thickness:	40-60mm
Lock:	6085 Security door
Packaging:	bubble + carton
Power supply:	DC 6V, 20000 times open and lock
Function:	fingerprint/ card/password/ sensor/mechanical key
Fingerprint sensor:	semiconductor
Password:	6-8 digits , 16 code function
Lock size:	380*74*28mm
Memory ability:	10year



Colors:

- Red Copper
- Luxury Gold
- Space Silver
- Yellow Bronze
- Antique Brass



Fingerprint unlock | Password unlock | Induction unlock | Key unlock | APP unlock (optional)



Fingerprint unlock | Password unlock | Induction unlock | Key unlock | APP unlock (optional)

Model:	RS-1160
Material:	zinc alloy
Application:	wood door/steel door/bronze door
Door Thickness:	40-60mm customize
Lock:	Overlord lock
Packaging:	bubble + carton
Power supply:	DC 6.3V, 20000 times open and lock
Function:	fingerprint/password/mechanical key
Card type:	M1
Lock size:	324*167*74mm
Operating mode:	Instruction



Colors:
 Bright Chrome
 Red Copper

Model:	RS-8000
Application:	wood door/steel door/bronze door
Door thickness:	40-60mm(customize)
Lock:	6068 Security door
Material:	zinc alloy
Power supply:	DC 6V, 20000 times open and lock
Function:	fingerprint-100 groups / password-12 groups / 3 sensor key
Size:	360*80.5mm



Colors:
 Space Silver
 Obsidian Black
 Rose Gold
 Luxury Gold



Model
RS-8016



Model
RS-DL1

Linkage smart home equipment



Fingerprint unlock | Password unlock | Induction unlock | Key unlock | APP unlock (optional)



Fingerprint unlock | Password unlock | Induction unlock | Key unlock | Voice unlock | APP unlock (optional)

Model:	RS-8016
Application:	wood door/steel door/bronze door
Door thickness:	40-60mm(customize)
Lock:	6068 Security door
Material:	zinc alloy
Power supply:	DC 6V, 20000 times open and lock
Function:	fingerprint/password/mechanical key
Size:	350*70mm



Colors:

■ Obsidian Black

■ Red Copper

Model:	RS-DL1
Unlock:	fingerprint / password / mechanical key/IC card / APP/voice
Power supply:	6v (4AAbattery)
Wireless:	2.4G 802.15.4
Back up power:	Micro USB
Collect:	FPC live biological collector
Data query:	screen and app record
Veil view:	diastema password design
Slide protection:	fingerprint aging , mistaken lock, Dust proof, anti rain
Material:	5A high class drilling touch screen ,not easy to wear and tear
Voice tips:	human voice operation , easy to set up



Colors:

■ Obsidian Black



Linkage smart home equipment









 Fingerprint unlock | Password unlock | Induction unlock | Key unlock | Voice unlock | APP unlock (optional)






 Fingerprint unlock | Password unlock | Induction unlock | Key unlock | APP unlock (optional)

Model:	RS-DL2
Unlock:	fingerprint-500 groups/ password-500 groups/ mechanical key/IC card / APP/ voice
Power supply:	6v (4AAbattery)
Wireless:	2.4G 802.15.4
Back up power:	Micro USB
operation temperature:	-30~70 degree
Humidness:	5%~95%
Collect:	FPC live biological collector
Data query:	screen and app record
Veil view:	diastema password design
Slide protection:	fingerprint aging , mistaken lock, Dust proof, anti rain
Material:	5A high class touch screen ,not easy to wear and tear
Stand by time:	1 year





Colors:
 Space Silver
  Obsidian Black
  Red Copper

Model:	RS-9100
Material:	304 stainless steel
Lock:	6068 Security door
Application:	wood door/steel door/bronze door
Door thickness:	40-60mm(customize)
Packaging:	carton
Power supply:	DC 6V, 20000 times open and lock
Function:	fingerprint/password/mechanical key
Size:	350*80mm



Colors:
 Rose Gold
  Luxury Gold
  Space Silver



Fingerprint unlock | Password unlock | Shake the door | Key unlock | tuya APP



Fingerprint unlock | Password unlock | Shake the door | Key unlock | tuya APP

Features: fingerprint/ password / mechanical key/remote control

Model: RS-F1'TY

Material: Zinc alloy

Fingerprint capacity: 110 pieces

Password capacity: 300 groups

Operating Voltage: <250uA

power supply system: 6V

False rate: ≤0.00001%

Quiescent Current: <50uA

Operating temperature: -25°C~60°C

Relative humidity: 20%~90%RH

Product Size: 235*62mm



Colors:

Red Copper

Obsidian Black

Features: fingerprint/ password / mechanical key/remote control

Model: RS-X1

Material: Zinc alloy

Fingerprint capacity: 110 pieces

Password capacity: 300 groups

Operating Voltage: <250uA

power supply system: 6V

False rate: ≤0.00001%

Quiescent Current: <50uA

Operating temperature: -25°C~60°C

Relative humidity: 20%~90%RH

Product Size: 240*60mm



Colors:

Obsidian Black

Red Copper

Yellow Bronze



Model
RS-M9

Model
iLock-520L













Features:	Face recognition/ password / mechanical key/sensor
Model:	RS-M9
Face capacity:	100 pieces
Password capacity:	20 groups
Material:	Zinc alloy
Operating Voltage:	6V
power supply system:	1.5V
Quiescent Current:	≤90u
Operating temperature:	-20 ° C ~ 60 ° C
Product size:	324*167*74mm



Colors:


 Champaign Gold
  Red Copper
 Obsidian Black

Features:	fingerprint/ password / mechanical key
Model:	iLock-520L
Material:	Zinc alloy
Fingerprint capacity:	200 pieces
Password capacity:	50 groups
Operating Voltage:	<250uA
Operating temperature:	-20°C~60°C
Relative humidity:	10%~90%RH
Product size:	368*757*26mm



Colors:





Password unlock | Induction unlock | Key unlock



Password unlock | Induction unlock | Key unlock

Features:	password / mechanical key/sensor
Model:	RS-K0101
Face capacity:	20 groups
Material:	Zinc alloy
Operating Voltage:	6V
power supply system:	1.5V
Quiescent Current:	≤90u
Operating temperature:	-20 ° C ~ 60 ° C
Product size:	324*70*23mm



Colors:
 Obsidian Black

Features:	password / mechanical key/sensor
Model:	RS-K0101
Face capacity:	20 groups
Material:	Zinc alloy
Operating Voltage:	6V
power supply system:	1.5V
Quiescent Current:	≤90u
Operating temperature:	-20 ° C ~ 60 ° C
Product size:	302*74*10mm



Colors:
 Black
 Gold
 Grey
 Silver